



| BALAMAN SPECIFICATIONS |                                                                                                 |
|------------------------|-------------------------------------------------------------------------------------------------|
| MODEL                  | BMS-50C<br>θ AXIS MECHANICAL STOPPER<br>(ADJUSTABLE TYPE)                                       |
| MAX. LOAD              | 50kg (INCLUDING ATTACHMENT)                                                                     |
| MAX. RADIUS            | R2118 mm                                                                                        |
| HORIZONTAL STROKE      | 1525 mm                                                                                         |
| VERTICAL STROKE        | 1610 mm                                                                                         |
| MAX. WORKING HEIGHT    | 2110 mm                                                                                         |
| MAX. MACHINE HEIGHT    | 3338 mm                                                                                         |
| CONTROL METHOD         |                                                                                                 |
| AIR SUPPLY             | 0.54 MPaG                                                                                       |
| AIR CONSUMPTION        | 94NL/min<br>(10 SEC CYCLE)                                                                      |
| COATING                | MAIN BODY & BASE<br>5.5PB4.7/9.4<br>(MUNSELL NO.)<br>ATTACHMENT<br>10R5.5/14.5<br>(MUNSELL No.) |
| MAIN UNIT MASS         | APPROX. 120kg                                                                                   |
| BASE UNIT MASS         | APPROX. 12kg                                                                                    |
| REMARKS                | ACCESSORIES: PRESSURE REDUCE SET                                                                |